



A Rapid-Deployable Communications Solution for First Responders

**Providing satellite, Band 14/FirstNet & LTE
connectivity - supporting voice, data and video
streaming in a highly-portable terminal**

- Fully self-contained - no external electronics case
- Highly portable, quick deploy system packs in two airline-checkable cases
- Available bandwidth up to 20Mbps X 5Mbps via satellite
- Multiple satellite look angles with no IP reconfiguration
- Integrated Traditional LTE and Band 14 FirstNet Ready connectivity
- Unpacks, assembles, and provides network connectivity
- in < 10 minutes with no tools



SYSTEM FEATURES

Satellite Antenna:

Model 1085IP: Rugged .85cm 6-piece carbon fiber reflector
Model 1220IP: Rugged 1.2M 6-piece carbon fiber reflector
Integrated Ku-band electronics
8W BUC standard, 16W optional for both 1085IP and 1220IP

Weight/Dimensions:

1085IP

Case 1 - TBD - dependent upon configuration
Case 2 - TBD - dependent upon configuration
Assembled operational weight: TBD

1220IP

Case 1 - TBD - dependent upon configuration
Case 2 - TBD - dependent upon configuration
Assembled operational weight: TBD



Interfaces:

3 Ethernet ports (2 PoE), 2 SIM Slots

Environmental/Power:

IP-66 Rated enclosure
120VAC/6A Maximum
Power consumption 150W during deployment, 50W idle

Wireless Networking:

Dual-band 2.4 GHz/5.8 GHz 802.11 a/b/g/n/ac

Cellular Networks:

FirstNet Ready & Band 14 Capable
Verizon, AT&T, Sprint and T-Mobile options for LTE connectivity
Aggregated 30-60Mbps performance
Automated satellite/cellular network failover

Satellite Network:

Highly available Ku-band network, burstable to 20Mbps X 5Mbps
Redundant bi-coastal teleports with multiple satellites for redundancy
Aggregate burstable speed in excess of 80Mbps in most LTE environments

VoIP Phone Services:

Includes one IPAccess RedPHONE for terminal-to terminal or landline calling capability
Additional VoIP lines and devices available

